

PLACE TITLE HERE: PLACE SUBTITLE AFTER COLON

Luis Hernández^{1,†}, Maria Silva^{2,†}, Henry Tudor³, Catherine Parr³, John H. Lienhard V^{4,*}

¹Institution or Company Name, City, State

²Institution or Company Name, City, Province, Canada

³Hampton Court Palace, Richmond, England

⁴Massachusetts Institute of Technology, Cambridge, MA

ABSTRACT

This paper is an example of and a template for typesetting ASME Conference Papers in L^AT_EX using the asmeconf class. This class follows ASME guidelines for margins, fonts, headings, captions, and reference formats as of early 2020. The class is intended to be used with the asmeconf .bst B^BT_EX style, which is part of this distribution. The class is compatible with the hyperref package, so that pdfs will contain internal and external hyperlinks, pdf bookmarks, and metadata. Links may be colored, for online use, or black, for publication. Section headers may contain mathematics, references, citations, and footnotes. The class enables inline author names, following ASME's current style, but is backward compatible to the traditional block style. The class includes many options, e.g., for math fonts. The class calls a number of packages, all of which are in T_EX Live and on CTAN. The class is compatible with pdfL^AT_EX or LuaL^AT_EX.

Keywords: ASME, Paper, Template, L^AT_EX, Research

NOMENCLATURE

Roman letters

k Thermal conductivity [$\text{W m}^{-1} \text{K}^{-1}$]

\vec{q} Heat flux vector [W m^{-2}]

Greek letters

α Thermal diffusivity [$\text{m}^2 \text{s}^{-1}$]

ν Kinematic viscosity [$\text{m}^2 \text{s}^{-1}$]

Dimensionless groups

Pr Prandtl number, ν/α

Sc Schmidt number, $\nu/\mathcal{D}_{1,2}$

Superscripts and subscripts

\mathbf{b} bulk value

∞ free stream value

[†]Joint first authors

*Corresponding author: lienhard@mit.edu

Documentation for asmeconf .cls. Version 1.19; November 7, 2020.

1. INTRODUCTION

The asmeconf class file will typeset papers with margins, fonts, headings, captions, and reference formats that follow those specified for conference papers of the American Society of Mechanical Engineers (ASME). Internal and external hyperlinks will be set automatically, and the pdf file will contain bookmarks and metadata. This class is not a publication of ASME.

The .tex file may be written using standard L^AT_EX commands, although some specific initial commands are needed to format the blocks containing the author[s], title, and abstract. This class loads a number of other packages, all of which are contained in up-to-date versions of T_EX Live, MacT_EX, and similar distributions. If you find you are missing one of these packages, you may obtain it at no cost from CTAN (ctan.org).

1.1 Essential Initial Commands

To begin, fill in the fields to be completed at top of the asmeconf-template.tex file. These fields include the headers for your conference and your paper number. Specified metadata will be placed into the pdf file itself. The title should be placed into `\title{..}`.

Put author names into the `\SetAuthors{name, name, ...}` command in the desired order; follow the syntax illustrated asmeconf-template.tex file. Put each distinct address sequentially into a separate `\SetAffiliation{n}{address}`, where $n = 1, 2, \dots$. Tag each author with the right affiliation by putting `\affil{n}` after that author's name inside the `\SetAuthors{..}` command.

Author addresses are to be kept short. List the author institution, and the City, State (US authors), City, Province, Canada (Canadian authors), or City, Country (for other international authors).

One author (or more) may be designated as the corresponding author by placing `\CorrespondingAuthor{email}` after `\affil{#}`. Two or more authors may be joint first authors by putting `\JointFirstAuthor` after `\affil{#}`.




FIGURE 1: FIGURE CAPTION WITH MATH, EQN. (1): $z = (r, \phi)$ [7]

After setting up the headers, authors, and title, issue the `\maketitle` command.

The abstract text must be placed into `\begin{abstract} ... \end{abstract}`. The abstract will automatically be italicized. Keywords may be included using the `\keywords{...}` command. The keyword command *must* be issued before the abstract environment.

2. REFERRING TO CITATIONS, FIGURES, AND EQUATIONS

Citations are automatically numbered [1]. They should be inserted at the appropriate point using a `\cite{ref}` command [2, 3]. The citations will be automatically sorted and compressed if they are given in a set [1–6]. A specific reference may be named with an abbreviation, as in Ref. [6]. See the `asmeconf-sample.bib` file and Sect. 5 for examples of how to enter your references.

For ASME conference papers, the labels Equation and Figure should be abbreviated when they do not start a sentence, as in Eq. (3) and Fig. 1. Figure 1 is spelled out when it starts a sentence. Equation (3) is spelled out when it starts a sentence.

Equations are typeset in the usual way and will be automatically numbered. The class file loads the `amsmath` and `mathtools` packages. Further, the `newtxmath` package used for the math fonts includes many additional features (see Sect. 6).

$$\vec{q} = -k\nabla T \quad (1)$$

ASME prefers SI units. (U.S. style units may follow in parentheses.) Be sure to put all symbols into the nomenclature list, including their units.

3. SECTION HEADINGS AND CAPTIONS

ASME requires that section headings and captions be set in an uppercase, sans serif font. The class will do this automatically. You can place `\cite{...}`, `\ref{...}`, `\label{...}`, and mathematics into headings and captions directly, as you would in the main text. Do not enclose them braces, e.g. `\cite{...}`, which

TABLE 1: A SIMPLE TABLE

Experiment	u [m/s]	T [°C]
Run 11	12.5	103.4
Run 12	24	68.3

TABLE 2: TABLE WITH MORE COMPLICATED COLUMNS

Experiment	u [m/s]	T [°C]
The first test we ran this morning	124.3	68.3
The second test we ran this morning	82.50	103.46
Our competitor's test	72.321	141.384

will cause errors. You can place `\footnote{...}` into headings, but not into captions.^{1,2}

Text in section headings and captions will not be capitalized if enclosed in a `\NoCaseChange{...}` command.

Sections may either be numbered or left unnumbered.

Simple mathematical expressions can be used in either captions or section headings. For a section heading that includes more complicated math (and macros), you may use the optional argument of `\section[...]{...}` to create a pdf bookmark without losing characters or producing warnings or errors. See the `asmeconf-template.tex` source file for examples of this procedure. These bookmarks should usually be text expressions, although some math is supported.

If you wish to override the default math format in captions, put `\mathversion{normal}` in the caption.

3.1 Subsection and Sub-subsection Headings

Subsections and sub-subsection headings should be entered in title case, with the first letter of primary words capitalized. Sub-subsections (i.e., paragraphs) are never numbered.

4. TABLES AND FIGURES

Table 1 is an example of a simple table. Table captions should be placed above tables. The class loads the `booktabs` package (used for horizontal rules in both Table 1 and 2), and the `array` and `dcolumn` packages which provide extended capabilities for columns in the `tabular` environment (used in Table 2). Table 3 is an example of a table that spans two columns. Two column tables (and figures) will always float to the top of a later page.

Figure captions go below figures. Figure 2 is an example of a figure that spans two columns and includes subfigures. The text in figures (and tables) should be no smaller than 6 point type. Images in figures are handled by the standard `graphicx` package.

Landscape figures and tables may be produced at full-page size by putting `\usepackage[figuresright]{rotating}` in your `.tex` file's preamble and using the `sidewaystable*` and `sidewaysfigure*` environments [8].

¹See `tex-stackexchange` for various approaches to footnotes in captions, if they seem necessary. For footnotes in tables, use the `tablefootnote` package.

²Sequential footnotes are automatically separated by a comma.

TABLE 3: A TABLE SPANNING TWO COLUMNS

x	$\operatorname{erf}(x)$	$\operatorname{erfc}(x)$	x	$\operatorname{erf}(x)$	$\operatorname{erfc}(x)$
0.00	0.00000	1.00000	1.10	0.88021	0.11980
0.05	0.05637	0.94363	1.20	0.91031	0.08969
0.10	0.11246	0.88754	1.30	0.93401	0.06599
0.15	0.16800	0.83200	1.40	0.95229	0.04771
0.20	0.22270	0.77730	1.50	0.96611	0.03389
0.30	0.32863	0.67137	1.60	0.97635	0.02365
0.40	0.42839	0.57161	1.70	0.98379	0.01621
0.50	0.52050	0.47950	1.80	0.98909	0.01091
0.60	0.60386	0.39614	1.8214	0.99000	0.01000
0.70	0.67780	0.32220	1.90	0.99279	0.00721
0.80	0.74210	0.25790	2.00	0.99532	0.00468
0.90	0.79691	0.20309	2.50	0.99959	0.00041
1.00	0.84270	0.15730	3.00	0.99998	0.00002

5. REFERENCE FORMATTING WITH `asmeconf.bst`³

The `asmeconf.bst` BibTeX style follows the reference styles shown on ASME’s conference web site in early 2020. Examples for these and many other cases are given in the `asmeconf-sample.bib` file, which is part of this distribution. Citations and references are managed by the standard `natbib` package. Nevertheless, a few comments are necessary.

DOI, URL, and eprint. Include DOI numbers when they are available. URL’s may alternatively be given. ASME requests that URLs point to a document’s abstract.

Elementary support for eprint numbers is also included, generating a `url` at the end of the citation. The archive type may be specified using the macros `arxiv`, `googlebooks`, `hdl`, `jstore`, `oclc`, or `pubmed` (e.g., `archive=hdl`, *without* braces). Both `eprint` and `archive` fields *must* be given. Other root urls may be invoked using `archive = {http://another.url.org/}`.

Online Sources. A bibliography field `@online{..}` is included for citation of online sources, such as web pages. A `url` or `eprint` with `archive` must be included. See the examples of use in the `asmeconf-sample.bib` file.

Date Accessed. The `urldate={..}` field may be used to provide the date on which a given url was accessed. By default, the text printed will be Accessed ‘date’,. The word “Accessed” may be changed using the `urltype={..}` field.

Conference Location and Date. For the entry types `@inproceedings{..}` and `@proceedings{..}`, you may include `venue={..}` and `eventdate={..}` to specify the city and the date of a conference.

Capitalization of Titles. ASME’s bibliography style requires that document titles be in title case. The first letters of principal words are capitalized. Do this when writing the `.bib` file.

³If you have text in a section heading or caption that you do not want to be capitalized, such as an SI unit, enclose it in a `\NoCaseChange` command.

6. MORE ON MATH: $\vec{u} \cdot \vec{\omega} = 0$

In most cases, the need for a wide equation can be eliminated by using one of the multiline equation environments defined by `amsmath`, such as `align`, `split`, or `multline` [9]. The following equation is set with the `multline` environment:

$$\begin{aligned} \frac{\partial}{\partial t} [\rho(e + |\vec{u}|^2/2)] + \nabla \cdot [\rho(h + |\vec{u}|^2/2)\vec{u}] \\ = -\nabla \cdot \vec{q} + \rho \vec{u} \cdot \vec{g} + \frac{\partial}{\partial x_j} (d_{ji}u_i) + \dot{Q}_v \end{aligned} \quad (2)$$

An example using `align` appears in Appendix A.

An alternative solution may be to set large equations into two-column-wide tables or figures. While a package exists for setting equations that span two columns (`widetext.sty`), that code is erratic in relation to floats and page breaks.

Math italics are used for roman and greek letters by default. If you want an upright letter in math, you can use the relevant math alphabet, e.g., `\mathrm`, `\mathbf`, `\mathsf`:

$$\vec{F} = m\vec{a} \quad \text{or} \quad \vec{F} = m\mathbf{a} \quad \text{or} \quad \mathbf{F} = m\mathbf{a} \quad \text{or} \quad \vec{F} = m\mathbf{a} \quad (3)$$


To get additional symbols in bold math, you can use the `\bm{..}` macro from the `bm` package, which is loaded by the class.

The class file also provides upright sans-serif greek letters with `\sfalpha` and similar expressions (e.g., $\alpha, \beta, \gamma, \delta \dots \alpha, \beta, \gamma, \delta \dots$), in case they are needed (but note that the `newtxmath` options `frenchmath` and `slantedGreek` also affect how greek letters are presented).


6.1 The `newtxmath` and `mathalpha` Packages [10, 11]

The `newtxmath` package [10], loaded by default, includes a large number of options for mathematics, most of which can be called as options to `\documentclass`. For example, the `upint` option of `newtxmath` selects upright integral signs (rather than slanted integral signs):

```
\documentclass[upint]{asmeconf}.
```



(a) Interior region



(b) Exterior region

FIGURE 2: A FIGURE WITH TWO SUBFIGURES [7]

These math options are discussed further in the `asmejour-template.tex` file.

In addition, many options for calligraphic, fraktur, and script fonts are available as options to the `mathalfa` package, which is also loaded. These may be invoked, for example, as

```
\documentclass[mathalfa=cal=euler]{asmeconf}
```

which selects the Euler font for `\mathcal` (this is our default). To find all the font options, refer to the `mathalfa` package documentation [11].

The typewriter font loaded is `inconsolata` (which is sans serif), as suggested by the `newtx` package documentation.

The `asmeconf` class is not set up for use with the `fontspec` or `unicode-math` packages.

7. ADDITIONAL OPTIONS FOR `asmeconf.cls`

The class accepts a number of options in addition to those already described. These options are discussed next.

7.1 Colored Hyperlinks

ASME requires that all text be **in black** when the paper is submitted for publication. For other uses, authors may obtain colored hyperlinks with the `[colorlinks]` option.

7.2 Final Column Balancing

The option `[balance]` invokes the `flushend` package [12]. This package will attempt to give equal height to the two columns on the last page. The performance of this package is sometimes inconsistent (with odd page layout or, very rarely, errors), so use this option with caution.

7.3 Line Numbers

The option `[lineno]` invokes the `lineno` package [13]. This option will produce line numbers in the margins. You must run \LaTeX *twice* for proper placement of the numbers. Tables, captions, and footnotes will not be numbered. Line numbers can be helpful for review and editing, but should not be used in your final manuscript. See the documentation of the `lineno` package for further commands to control line numbering.

The `lineno` package is not compatible with the `flushend` package that makes final short columns the same height. Balancing is automatically disabled when this option is called.

7.4 Changing the Copyright Footer

The option `[nofoot]` will omit the ASME copyright from the page footer. The option `[govt]` will produce a copyright notice for authors who are employees of the U. S. Government. The option `[contractor]` will produce a copyright notice for authors who are employed by a U. S. Government contractor.

The footers are generated with the `fancyhdr` package [14], so you can change them in any way you like using the commands of that package. Only the default arrangement of footers matches ASME's style, however.

7.5 Superiors Font

The `newtxtext` package includes a superiors font (both numbers and letters) for use in footnote markers and superscripts. To enable this font, use the option `[nodefaultsups]`.

7.6 Old-style Author Grid

The option `[oldauthors]` invokes ASME's old grid-style arrangement of author names. The authors and affiliations must be entered differently in this case. See Appendix B for usage.

7.7 Hyphenation of Typewriter Font

The option `[hyphenate]` will allow hyphenation of the typewriter font. Hyphenation is normally suppressed for typewriter mode because this font is often used for code.

7.8 Support for Other Languages

The package can be adapted to incorporate (or entirely use) languages other than English. See Appendix C for details.

7.9 Archivability: PDF/A

Compliance with PDF/A standards can be enabled using the option `[pdf-a]` when running with `pdfLATEX`. The default setting is for PDF/A-3u with `sRGB` OutputIntent (`sRGB.icc`). If levels 1b, 2b, 2u, or 3b are preferred, use the options `[pdfapart=1 or 2 or 3]` and `[pdfaconformance=b or u]`. Note that accessible conformance (a) is not currently possible with \LaTeX .

8. CONCLUSION

Provide a brief conclusion (3-4 lines).

ACKNOWLEDGMENTS

Place any acknowledgments here.

REFERENCES

- [1] Ning, Xiang and Lovell, Mary Rose. “On the Sliding Friction Characteristics of Unidirectional Continuous FRP Deposits.” *ASME Journal of Tribology* Vol. 48 No. 5 (2002): pp. 2000–2008. DOI [10.1115/1.4042912](https://doi.org/10.1115/1.4042912).
- [2] Gibson, Tom A. and Tucker, Matthew A. *The Big Book of Cellular Studies*. John Wiley and Sons, New York (2008).
- [3] Stevens, Thomas T. “Stochastic Fields and Their Digital Simulation.” *Stochastic Methods*. Martinius Publishers, Dordrecht (1999): pp. 22–36.
- [4] Wions, Thomas and Mills, Christopher D. “Structural Dynamics in Parallel Manipulation.” *Proceedings of the ASME IDETC/CIE*. DETC2005-99532: pp. 777–798. New Orleans, LA, September 10–13, 2005. DOI [10.1115/1.4042912](https://doi.org/10.1115/1.4042912). URL <https://doi.org/10.1115/1.4042912>.
- [5] Smith, Robert. “Conformal Lubricated Contact of Cylindrical Surfaces Involved in a Non-Steady Motion.” Ph.D. Thesis, Rochester Institute of Technology, Rochester, NY. 2002. DOI [10.1115/1.4042912](https://doi.org/10.1115/1.4042912). URL <https://doi.org/10.1115/1.4042912>.
- [6] Watson, David. “Evaporative Heat Transfer in the Contact Line of a Mixture.” Technical Report No. HTL-26, CFD-4. Iowa State University, Ames, IA. 1982. DOI [10.1115/1.4042912](https://doi.org/10.1115/1.4042912). URL <https://doi.org/10.1115/1.4042912>.
- [7] Lienhard, John H., V. “Exterior Shape Factors from Interior Shape Factors.” *ASME J. Heat Transfer* Vol. 141 No. 6 (2019): 061301. DOI [10.1115/1.4042912](https://doi.org/10.1115/1.4042912).
- [8] Fairbairns, Robin, Rahtz, Sebastian and Barroca, Leonor. “A Package for Rotated Objects in L^AT_EX, Version 2.16d.” Comprehensive T_EX Archive Network (2016). Accessed October 2, 2019, URL <https://www.ctan.org/pkg/rotating>.
- [9] American Mathematical Society and L^AT_EX3 Project. “User’s Guide for the amsmath Package, Version 2.1.” Comprehensive T_EX Archive Network (2018). Accessed July 5, 2019, URL <https://ctan.org/tex-archive/macros/latex/required/amsmath/amsl doc.pdf>.
- [10] Sharpe, Michael. “New TX Font Package, Version 1.554.” Comprehensive T_EX Archive Network (2018). Accessed April 27, 2019, URL <https://ctan.org/pkg/newtx>.
- [11] Sharpe, Michael. “The mathalfa Package, Version 1.10.” Comprehensive T_EX Archive Network (2018). Accessed April 27, 2019, URL <https://ctan.org/pkg/mathalfa>.
- [12] Tolušis, Sigitas. “The flushend Package, Version 3.3.” Comprehensive T_EX Archive Network (2017). Accessed October 1, 2019, URL <https://www.ctan.org/pkg/flushend>.
- [13] Böttcher, Stephan I. and Lück, Uwe. “lineno.sty: A L^AT_EX Package to Attach Line Numbers to Paragraphs, Version 4.41.” Comprehensive T_EX Archive Network (2005). Accessed August 17, 2019, URL <https://www.ctan.org/pkg/lineno>.
- [14] van Oostrum, Piet. “The fancyhdr and extramarks Packages, Version 3.10.” Comprehensive T_EX Archive Network (2019). Accessed August 17, 2019, URL <https://www.ctan.org/pkg/fancyhdr>.
- [15] Smith, Robert. “Conformal Lubricated Contact of Cylindrical Surfaces Involved in a Steady Motion.” Master’s Thesis, Rochester Institute of Technology, Rochester, NY. 1998.
- [16] Smith, Robert. “Cylindrical Surfaces Involved in a Steady Motion.” BS Thesis, Rochester Institute of Technology, Rochester, NY. 1996.
- [17] Reynolds, W. C., Kays, W. M. and Kline, S. J. “Heat Transfer in the Incompressible Turbulent Boundary Layer. I—Constant Wall Temperature.” Memorandum 12-1-58W. NASA, Washington, DC. 1958. URL <http://hdl.handle.net/2060/19980228020>.
- [18] Edwards, Donald K. “Thermal Radiation Measurements.” Eckert, Ernst R. G. and Goldstein, Richard J. (eds.). *Measurement Techniques in Heat Transfer*. Vol. 130 of *AGARDograph*. Technivision Services, Slough, England (1970): Chap. 9, pp. 353–396. Published by the Advisory Group for Aerospace Research and Development of NATO.
- [19] Govindan, Prakash Narayan, Lam, Steven and St. John, Maximus G. “Systems Including a Condensing Apparatus Such As a Bubble Column Condenser.” US Patent #9700811 (2017). URL <https://patents.google.com/patent/US9700811B2>.
- [20] Fong, Chamberlain. “Analytical Methods for Squaring the Disc.” *ArXiv e-prints* (2015). URL <https://arxiv.org/abs/1509.06344>.
- [21] Galassi, Mark, Davies, Jim, Theiler, James, Gough, Brian, Jungman, Gerard, Alken, Patrick, Booth, Michael, Rossi, Fabrice and Ulerich, Rhys. *GNU Scientific Library Release 2.4*. Free Software Foundation, Boston, MA (2017). URL <https://www.gnu.org/software/gsl/>.
- [22] van der Walt, Stéfan and Smith, Nathaniel. “mpl colormaps.” GitHub, San Francisco, CA (2015). Accessed August 26, 2018, URL <http://bids.github.io/colormap/>.
- [23] Johnson, Howard (ed.). *Title of Edited Book*. John Wiley and Sons, Inc., New York, NY (1980).
- [24] Yankovich, Al and Stern, Howard (eds.). *The Title of the Proceedings*, Vol. 15. Boston, MA, April 27–28. Organization (2015). URL <http://web.mit.edu>. Optional note.
- [25] Kirk, James Tiberius. *Decline and Fall of the Romulan Empire*, 7th ed. Vol. 23 of *Humankind’s Greatest Writings*. Vulcan Free Press, T’Paal (2288). URL <http://web.mit.edu>. To appear.
- [26] Churchill, Winston S. *The Gathering Storm*, 1st ed. Houghton Mifflin Co., Boston (1948): Chap. 5, pp. 66–89. “The Locust Years”.
- [27] Fourier, Jean Baptiste Joseph. *Théorie Analytique de la Chaleur*. Firmin Didot, Père et Fils, Paris (1822). URL <https://archive.org/details/analyticaltheory00fourrich>.

APPENDIX A. THE VECTOR PRODUCT $\vec{A} \times \vec{B}$

This brief illustration of an appendix shows the numbering of the appendix and equations. Equations are numbered consec-

utively, following those in the paper.

$$\frac{d\Gamma}{dt} = \int_c \frac{D\mathbf{u}}{Dt} \cdot d\mathbf{r} \quad (4)$$

$$= \iint_s \nabla \times \frac{D\mathbf{u}}{Dt} \cdot d\mathbf{A} \quad (5)$$

$$= \iint_s \nabla p \times \nabla \left(\frac{1}{\rho} \right) \cdot d\mathbf{A} \quad (6)$$

APPENDIX B. OPTION TO USE AN AUTHOR GRID

ASME’s most recent templates place author names inline, with affiliations for all authors in rows below. This style is the default for this template.

The historical style of authors with affiliation in a grid of blocks may be invoked with the option [oldauthors]. When using this form, the author names and addresses should be entered as below:

```
\SetAuthorBlock{Name\JointFirstAuthor}{%
    Institution \ City, State}
\SetAuthorBlock{Name\JointFirstAuthor}{%
    Institution \ City, Country}
\SetAuthorBlock{Name, Name}{%
    Institution \ City, Country}
\SetAuthorBlock{\CorrespondingAuthor{John Lienhard%
}{lienhard@mit.edu}}{Institution \ City, State}
```

Directly usable code is contained at the very end of the asmeconf-template.tex file.

APPENDIX C. LANGUAGE SUPPORT

ASME publishes in English, but the babel package is loaded for users who may wish to include other languages. Options

are supported to load a primary language, lang=, as well as a secondary and tertiary language, lang-second and lang-third. The primary language must be specified explicitly if a secondary language is loaded. If no language option is given, the package defaults to English. An example of use is shown in Annexe D.

The standard caption and section names will follow babel’s dictionary for primary languages other than English. Users may additionally change “Keywords”, “Nomenclature”, “Corresponding author”, and “Joint first authors” by renewing the commands \keywordname, \nomname, \CAwords, and \JAwords. Changes to the page footer were described earlier. The pdf bookmark for “Appendices” may be changed by renewing \appendicesname.

Font encoding is set to T1 with utf-8 input supported: àáâãäåæçèé êëëèêë ìíîï òóôöøõ ùüúû çč ĺ ŋń ßš ŷ žžž.

No effort has been made to support customization of language-specific fonts, although this is possible by modifying the class file (examples are given in the newtx documentation). The bibliography style, asmeconf.bst, is designed in English and aimed at B_{IB}T_EX. Multilingual bibliographies can be supported using BibLaTeX.

ANNEXE D. DISCOURS PRÉLIMINAIRE DE FOURIER

Les causes primordiales ne nous sont point connues ; mais elles sont assujetties à des lois simples et constantes, que l’on peut découvrir par l’observation, et dont l’étude est l’objet de la philosophie naturelle.

La chaleur pénètre, comme la gravité, toutes les substances de l’univers, ses rayons occupent toutes les parties de l’espace. Le but de notre ouvrage est d’exposer les lois mathématiques que suit cet élément. Cette théorie formera désormais une des branches les plus importantes de la physique générale [27].